

# I

## INDEX MAPS.

### T. 24N, R. 5W. 2<sup>nd</sup> Mer.

	363		363		363		363		363		363	
365	6	378	5	375	4	373	3	370	2	368	1	362
	378		378		375		373		370		367	
365	7	378	8	375	9	373	10	370	11	367	12	362
	378		377		375		372		370		367	
364	18	377	17	374	16	372	15	370	14	367	13	362
	377		377		374		372		369		367	
364	19	377	20	374	21	372	22	369	23	366	24	361
	376		376		374		372		369		366	
364	30	376	29	374	28	371	27	368	26	366	25	361
	376		375		373		371		368		365	
364	31	375	32	373	33	372	34	368	35	365	36	360
	360		360		360		359		359		359	

### T. 25N, R. 5W. 2<sup>nd</sup> Mer.

	383		383		383		383		383		383	
385	6	399	5	395	4	393	3	390	2	387	1	382
	399		399		395		393		389		387	
384	7	399	8	395	9	392	10	389	11	387	12	382
	398		398		395		392		389		387	
384	18	398	17	394	16	392	15	389	14	386	13	382
	398		397		394		391		388		386	
384	19	397	20	394	21	391	22	388	23	386	24	382
	397		397		394		391		388		386	
384	30	396	29	393	28	391	27	388	26	385	25	382
	396		396		393		390		388		385	
384	31	396	32	393	33	390	34	387	35	385	36	382
	381		381		381		381		381		381	

The figures on the lines refer to the page.

Township Lines.

Ch. Pt. South Boundary. Var. 5° 50' E.

Bearings at cor. of T. 23 & 24 N, R. 4 & 5 W.

41 a B. Oak 30 in. diameter S 26 E 236 lbs. dist. 8

a Hickory 24 " " " S 77 W 141 " "

West on the S. Boundary of Sec. 36

40.00 set of sec. post from which

a W. Oak 30 in. diameter S 23 1/2 E 326 lbs. dist. 8

an Elm 12 " " " S 63 1/2 E 387 " "

65.00 passed Prairie

80.00 set post cor. of sec. 35 & 36 from which

a Sugar 18 in. diameter N 3 E 65 lbs. dist. 8

a S. Oak 27 " " " S 28 W 46 " "

Land rich and good for farming, timber Oak,  
Hickory & Sugar

West on the S. Boundary of Sec. 35

30.37 a Buckeye 5 in. dia.

40.00 set of sec. post from which

an Elm 24 in. diameter S 83 W 40 lbs. dist. 8

a S. 12 " " " N 13 W 59 " "

71.00 a Brook 10 lbs. wide corner S

80.00 set post cor. of sec. 34 & 35 from which

a W. Oak 30 in. diameter S 42 W 250 lbs. dist. 8

a S. 24 " " " N 19 1/2 E - " "

Land same as last described

West on the S. Boundary of Sec. 34

40.00 set of sec. post from which

a W. Oak 27 in. diameter S 11 W 35 lbs. dist. 8

a S. 30 " " " S 69 E 194 " "

55.00 enter Prairie

80.00 set post cor. of sec. 33 & 34 in Prairie and  
made a Monnd.

Land &c the same as last noted.

## T. 24 N., R. 5 W. 2. Mer. Ind.?

Chp. 24?

West on the S. Boundary of Sec. 33

40.00 set g. sec. post in Prairie & made a Mound from  
which an Oak 10 in. dia bears S 69 E 72.5 lbs. dist.

71.87 a W. Oak 24 in. dia.

80.00 set post cor. of sec. 32 & 33 from which  
a Hickory 27 in. dia bears S 69 E - lbs. dist. 8

a Dr 20 " " " N 9 E 232 " "

Rich land and good for farming

West on the S. Boundary of Sec. 32

40.00 set g. sec. post in Prairie from which  
a Hickory 20 in. dia bears S 16 W 476 lbs. dist.  
(no other Bearing tree)80.00 set post cor. of sec. 31 & 32 in Prairie & made a  
Mound from which

a W. Oak 30 in. dia bears N 89 W 14.29 lbs. dist.

Rich land &amp; good for farming

West on the S. Boundary of Sec. 31

35.00 passed Prairie

40.00 set g. sec. post from which

a Hickory 20 in. dia bears N 65 E 47 lbs. dist. 8

a B. Oak 24 " " " N 10 W 30 " "

69.24 Intersect Range line 405 lbs. N. of temp. Towns.

Corner - set post at intersection cor. of T. 23 &amp; 24

N, R. 5 &amp; 6 W. from which a W. C

a W. Oak 40 in. dia bears S 53 1/2 E 55 lbs. dist. 2

a Hickory 24 " " " S 63 W 42 " "

(Description of land &amp; omitted)

Surveyed in 1820 by William Harris

Dep. Surveyor.

East Boundary. Var. 6.00. E.

North on the E. Boundary of Sec. 36

5.80 a B. Walnut 15 in. dia.

13.50 enter Prairie, WNW direction

## T. 24 N., R. 5 W. 2. Mer. Ind. 4.

Ch. 24.

- 34.00 wet ferry land  
 37.50 scattering timber  
 37.70 a B. Oak 22 in. dia.  
 40.00 set q. sec. post from which  
     a B. Oak 22 in. dia. bears South 22 1/2 W. dist 28  
     a Burr Oak 16 " " " N 12 1/2 E 162 " "  
 45.00 enter wet Prairie, W. direction  
 54.00 scattering timber  
 55.69 a Span. Oak 10 in. dia.  
 68.00 a Branch 2 W. wide corner N.W. dry  
 68.20 a Burr Oak 30 in. dia.  
 80.00 set post cor. of Sec. 25 & 36 from which  
     a Hickory 8 in. dia. bears N 63 W 17 W. dist 28  
     a Jack Oak 4 " " " S 28 W 14 " "  
     With this post stands a Jack Oak 2 in. dia.  
     which may stand for corner tree.  
 Level 2. rate land, timber B. & Burr Oak, Sugar,  
 Hickory & Wyr. Hazel, Sassafras, Sumack

## North on the E. Boundary of Sec. 25

- 5.00 enter Prairie  
 19.50 " timbered land  
 24.00 a Buckeye 30 in. dia.  
 26.00 enter Prairie  
 37.50 enter brush  
 40.00 set q. sec. post from which  
     a Crab Apple 3 in. dia. bears N 76 W 22 W. dist 28  
     a Jack Oak 10 " " " S 70 W 16 " "  
 43.00 enter open Prairie  
 80.00 set mound in Prairie cor. of Sec. 24 & 25.  
 Level rich 2. rate land, timber scarce & scrub-  
 by, Jack Oak, Buckeye, Plum & Crab Apple  
 Wyr. Hazel, Sassafras, Sumack, Pines &

## North on the E. Boundary of Sec. 24

- 40.00 set q. sec. post in Prairie where mound stands



## T. 24 N., R. 5 W. 2. Mer. Ind.

E. 1/2 Sec.

69.00 enter scattering timber

71.30 a B. Oak 16 in. dia.

74.00 enter Prairie

80.00 set post cor. of sec. 13 &amp; 24 in Prairie, where raised a Mound.

Level rich I. rate land, mostly Prairie,  
 scattering timber of B. Oak & Upr. Hazel,  
 Plum, Briers, Sumack &c.

## North on the E. Boundary of Sec. 13

16.63 a Hickory 20 in. dia. &amp; leave Prairie

31.25 a Branch 15 lbs. wide corner SE

40.00 set q. sec. post from which

a Bur Oak 26 in. dia. bears N 14° W 95 lbs. dist. 8

a Hickory 16 " " " S 73° W 145 " "

69.21 a Span. Oak 22 " "

80.00 set post cor. of sec. 12 &amp; 13 from which

a W. Oak 18 in. dia. bears S 8° W 47 lbs. dist. 8

a Do 22 " " " N 42° W 115 " "

Mostly level I. rate land, timber W & B. Oak,  
 Hickory & Upr. Hazel, Willow &c.

## North on the E. Boundary of Sec. 12

16.02 a Span. Oak 22 in. dia.

22.00 scattering timber

40.00 set q. sec. post from which

a W. Oak 20 in. dia. bears N 38 1/2° E 37 lbs. dist.

no other bearing tree convenient

61.75 a Hickory 12 in. dia.

80.00 set post cor. of sec. 1 &amp; 12 from which

a W. Oak 20 in. dia. bears S 2 1/2° W 654 lbs. dist. 8

a B. Oak 18 " " " N 76° W 374 " "

Level I. rate land, timber W & B. Oak, Hickory  
 & Upr. Hazel, Hickory &c.

## North on the E. Boundary of Sec. 1

T. 24 N., R. 5 W. 2. Mer. Ind.<sup>a</sup>  
Ch. Sh.

4.50 enter Grand Prairie  
40.00 set gr. sec. post & raised a Mound  
80.00 set temp. Township corner post.  
Level 2<sup>d</sup> rate land, mostly Prairie.  
[Cor. of T. 24 & 25 N., R. 4 & 5 W. established at  
76.86. where raised a large Mound]

North Boundary. Var. 5° 20' E.  
West on the S. Boundary of Sec. 36, T. 25 N., R. 5 W  
40.00 set gr. sec. post & raised a Mound  
80.00 set post cor. of sec. 35 & 36 in Mound  
Level rich 2<sup>d</sup> rate land, Prairie

West on the S. Boundary of Sec. 35, T. 25 N., R. 5 W  
40.00 set gr. sec. post & raised a Mound  
80.00 set post cor. of sec. 34 & 35 in Mound  
(Description of land &c. omitted)

West on the S. Boundary of Sec. 34, T. 25 N., R. 5 W  
40.00 set gr. sec. post & raised a Mound from which  
a white Rock 19 lbs. round bears S 47° W 209  
lbs. dirt.  
80.00 set post in Mound cor. of sec. 33 & 34  
Level 2<sup>d</sup> rate Prairie land

West on the S. Boundary of Sec. 33, T. 25 N., R. 5 W  
40.00 set gr. sec. post in Mound in Prairie  
80.00 set post cor. of sec. 32 & 33 in Mound  
Level rich 2<sup>d</sup> rate land

West on the S. Boundary of Sec. 32, T. 25 N., R. 5 W  
40.00 set gr. sec. post in Mound in Prairie  
80.00 set post cor. of sec. 31 & 32 in Mound  
Level rich 2<sup>d</sup> rate Prairie land

West on the S. Boundary of Sec. 31, T. 25 N., R. 5 W

## T. 24 N., R. 5 W. 2. Mer. Ind.?

Ch. 812?

40.00 set q. sec. post in Mound

73.41 Intersect Range line 178<sup>th</sup>. S. of post -  
raised a large Mound at intersection for corner  
of T. 24 & 25 N., R. 5 & 6 W.  
Level 2<sup>d</sup> rate landWest Boundary. Var. 6<sup>th</sup> 30' E,  
North on the E. Boundary of Sec. 35, T. 24 N., R. 6 W  
24.85 a W. Oak 36 in. dia.

40.00 set q. sec. post from which

a W. Oak 24 in. dia. bears West 142<sup>th</sup>. dist. 3,

a Do 24 " " " S 37 1/2° E 168 " "

46.50 cut E. end of Flag Swamp Prairie

75.00 enter timbered land

80.00 set post cor. of sec. 25 &amp; 36 from which

a Hickory 30 in. dia. bears N 71° W 84<sup>th</sup>. dist. 8,

a Do 22 " " " S 71° E 94 " "

Part level, part rolling 2<sup>d</sup> & 3<sup>d</sup> rate land, timber  
scattering Oak, Hickory & nobble.North on the E. Boundary of Sec. 25, T. 24 N., R. 6 W  
5.00 enter Prairie

40.00 set q. sec. post in Mound in Prairie

80.00 set post in Mound cor. of sec. 24 &amp; 25

Level 2<sup>d</sup> rate land, Prairie

North on the E. Boundary of Sec. 24, T. 24 N., R. 6 W

28.00 enter Pond - dry

40.00 set q. sec. post in Mound in Pond

42.00 leave Pond

80.00 set post in Mound cor. of sec. 13 &amp; 24

Land rolling 2<sup>d</sup> rate, all Prairie

North on the E. Boundary of Sec. 13, T. 24 N., R. 6 W

40.00 set q. sec. post in Mound

70.00 enter Pond, dry

T. 24 N., R. 5 W. 2. Mer. Ind.<sup>u</sup>  
 Chp. 2<sup>nd</sup>.

80.00 set post in Mound cor. of sec. 12 & 13  
 Land willing 2<sup>nd</sup> rate Prairie

North on the E. Boundary of Sec. 12, T. 24 N., R. 6 W.

32.00 a Pond - dry

38.00 leave Pond

40.00 set gr. sec. post in Mound

80.00 set post in Mound cor. of sec. 12 & 13  
 Level 2<sup>nd</sup> rate land, all Prairie

North on the E. Boundary of Sec. 1, T. 24 N., R. 6 W.

22.50 enter Pond - dry

35.00 leave "

40.00 set gr. sec. post in Mound

80.00 set temp. Township corner post

Level 2<sup>nd</sup> & 3<sup>rd</sup> rate Prairie land

Surveyed in 1828 by Thomas Brown  
 Dep. Surveyor.

Subdivision. Var. 6<sup>th</sup> 00. E.

North between Sec. 35 & 36, T. 24 N., R. 5 W.

10.00 Enter prairie

15.00 Leave "

24.82 a B. Oak 24 in. dia.

40.00 Set gr. Sec. post from which

a Buckeye 14 in. dia. bear N 45 E 17<sup>th</sup> dist. &

a Do 14 " " " S 32 W 24 " "

80.00 Set post cor. to Sec. 25, 26, 35, 36 from which

a W. Oak 24 in. dia. bears S 40<sup>th</sup> W 129<sup>th</sup> dist. &

a B. Oak 36 " " " S 31 E 24 " "

Land level 1<sup>st</sup> rate Timber. Oak Ash Elm Walnut  
 Buckeye &c Ugr. Hay & briars Hickory &c

East on Random Between Sec. 25 & 36

40.00 Set temp. gr. Sec. post

79.86 Intersect E. Boundary 50<sup>th</sup> dist. N. of post



T. 24 N., R. 5 W. 2<sup>d</sup> Mer. Ind.<sup>a</sup>

Wm. Lho.

Land level 1<sup>st</sup> & 2<sup>d</sup> rate timber Oak Walnut Ash  
 Elm & Agr. Hazle Briars &c

West Corrected Between Secs. 25 &amp; 36

39.93 Set gr. Sec. post at aver. dist. from which  
 a W. Oak 24 in. dia. bears N 50 W 170 lbs. dist. &  
 " Do 24 " " " 939 $\frac{1}{2}$  W 134 " "

79.86 Sec. Cor.

North Between Secs. 25 &amp; 26

20.83 a B. Oak 36 in. dia.

40.00 Set gr. Sec. post from which  
 a W. Oak 24 in. dia. bears S 46 W 94 lbs. dist. &  
 " Do 24 " " " N 54 E 41 " "

60.00 Enter prairie called "Grand Prairie"

80.00 Set post cor. to Secs. 23, 24, 25, 26 raised mound  
 Level 1<sup>st</sup> & 2<sup>d</sup> rate land first 6400 good timber  
 Oak Hickory Walnut Agr. Hazle &c

East on Random Between Secs. 24 &amp; 25

40.00 Set temp. gr. Sec. post

79.63 Intersect C. Boundary 48 lbs. N. of post  
 Land prairie rolling rich 2<sup>d</sup> rate

West Corrected Between Secs. 24 &amp; 25

39.81 Set gr. Sec. post at aver. dist. raised mound

79.63 Sec. Cor.

North Between Secs. 23 &amp; 24

40.00 Set gr. Sec. post raised mound

80.00 Set post cor. to Secs. 13, 14, 23, 24 raised mound  
 Land prairie Level rich 2<sup>d</sup> rate

East on Random Between Secs. 13 &amp; 24

40.00 Set temp. gr. Sec. post

79.43 Intersect C. Boundary 26 lbs. N. of post



*T. 24 N., R. 59 W. 2<sup>o</sup> Mer. Ind<sup>a</sup>*

*Mr. G. W.*

*Land level rich 2<sup>o</sup> rate*

*West Corrected Between Sec. 13 & 24*

*39.71 Set gr. Sec. post at aver. dist. raised mound*

*79.43 Sec. Cor.*

*North Between Sec. 13 & 14*

*40.00 Set gr. Sec. post raised mound*

*80.00 Set post cor. to Sec. 11. 12. 13. 14. raised mound*

*Land level rich 2<sup>o</sup> rate*

*East on Random Between Sec. 12 & 13*

*25.00 Enter timber*

*30.00 Prairie*

*32.00 Bed of a Brook 5<sup>th</sup> side course S. 4. E*

*34.40 Same Stream course S. E.*

*40.00 Set temp. gr. Sec. post*

*44.75 Bed of Same Stream 12<sup>th</sup> side course S. E.*

*79.22 Intersect E. Boundary 66<sup>th</sup> S. of post mound*

*Land level rich 2<sup>o</sup> rate timber Oak Mgr. Hayle*

*West Corrected Between Sec. 12 & 13*

*39.61 Set gr. Sec. post at aver. dist. from which*

*a W. Oak 20 in. dia. leans S 75 E 240<sup>th</sup> dist. &*

*a Dr 20 " " " N 47 1/2 E 213 " "*

*79.22 Sec. Cor.*

*North Between Sec. 11 & 12*

*40.00 Set gr. Sec. post raised mound*

*63.60 " Branch 8<sup>th</sup> side course S. E.*

*80.00 Set post cor. to Sec. 1. 2. 11. 12 raised mound*

*Land rolling rich 2<sup>o</sup> rate prairie*

*East on Random Between Sec. 11 & 12*

*40.00 Set temp. gr. Sec. post*

*55.00 Enter timber land*

T. 24 N., R. 5 W. 2. Mer. Ind.<sup>a</sup>

Obs. Lks.

79.72 Intersect E. Boundary 15 lbs. N. of post  
 Land 1/4 mile dry prairie 2 rate ballance bushy  
 with Hayle Briars & Scattering timber Hickory  
 Oak

West Corrected Between Sec. 18 &amp; 12

39.86 Set gr. Sec. post at aver. dist. raised mound

79.72 Sec. Cor.

North Between Sec. 18 &amp; 2

40.00 Set gr. Sec. post raised mound

79.72 Intersect N. Boundary 15 lbs. E. of mound -

Raised mound cor. to Sec. 18 &amp; 2

Land prairie level 2 rate

North Between Sec. 34 &amp; 35

38.70 a W. Oak 26 in. dia.

40.00 Set gr. Sec. post from which

a W. Oak 18 in. dia. bears N 40 W 27 lbs. dist. &amp;

a Do 20 " " " S 28 E 27 " "

46.00 Enter prairie

65.00 Scattering timber

80.00 Set post cor. to Sec. 26 27. 34. 35 from which

a W. Oak 24 in. dia. bears S 18 E 40 5 lbs. dist. &amp;

a Do 36 " " " N 85 E 34 6 " "

Land rolling 2 rate timber Oak Hickory &  
 Ugr. Oak Hayle

East on Random Between Sec. 26 &amp; 35

7.00 a Branch 5 lbs. wide course S. E.

17.50 a Do 4 " " " S.

34.75 a Stream 10 " " " S.

40.00 Set temp. gr. Sec. post

80.30 Intersect N &amp; S. line 69 lbs. N. of post

Land level 2 rate timber Oak Hickory & Ugr. Hayle  
 Briars Thornapple

## T. 24 N., R. 5 W. 2. Mer. Ind. 4.

No. 910.

West Corrected Between Sec. 26 & 35  
 40.15 Set gr. Sec. post at aver. dist. from which  
     a W. Oak 24 in. dia. bears N 44 1/2 W 114 lbs. dist. &  
     a Do 24 " " " N 17 E 183 " "  
 80.30 Sec. Cor.

---

North Between Sec. 26 & 27  
 3.00 a Branch 5 lbs. wide course S. E. enter prairie  
 40.00 Set gr. Sec. post raised mound  
 80.00 Set post cor. to Sec. 22, 23, 26, 27 raised mound  
     Land level 2<sup>nd</sup> rate

---

East on Random Between Sec. 23 & 26  
 32.00 a Branch 5 lbs. wide course S.  
 40.00 Set temp. gr. Sec. post  
 80.02 Intersect E. Boundary 80 lbs. N. of mound  
     Land rolling 2<sup>nd</sup> rate

---

West Corrected Between Sec. 23 & 26  
 40.01 Set gr. Sec. post at aver. dist. raised mound  
 80.02 Sec. Cor.

---

North Between Sec. 22 & 23  
 40.00 Set gr. Sec. post raised mound  
 80.00 Raised mound cor. to Sec. 14, 15, 22, 23  
     Land prairie rolling 2<sup>nd</sup> rate

---

East on Random Between Sec. 14 & 23  
 40.00 Set temp. gr. Sec. post  
 45.00 a Branch 5 lbs. wide course S.  
 80.23 Intersect N. & S. line 68 lbs. N. of post mound  
     Land rolling 2<sup>nd</sup> rate prairie

---

West Corrected Between Sec. 14 & 23  
 40.11 Set gr. Sec. post at aver. dist. raised mound  
 80.23 Sec. Cor.

---

T. 24 N., R. 5 W. 2. Mer. Ind. <sup>a</sup>

No. 9th.

North Between Sec. 14 &amp; 15

40.00 Set gr. Sec. post raised mound

80.00 Set post cor. to Sec. 10. 11. 14. 15 raised mound

Land prairie rolling 2<sup>d</sup> rate

East on Random Between Sec. 11 &amp; 14

40.00 Set temp. gr. Sec. post

80.11 Intersect N &amp; S line 80 lbs. N. of mound

Land part rolling part level 2<sup>d</sup> rate prairie

West Corrected Between Sec. 11 &amp; 14

40.05 Set gr. Sec. post at aver. dist. raised mound

80.11 Sec. Cor.

North Between Sec. 10 &amp; 11

40.00 Set gr. Sec. post raised mound

80.00 Set post cor. to Sec. 2. 3. 10. 11 raised mound

Land prairie rolling 2<sup>d</sup> rate

East on Random Between Sec. 28 &amp; 11

10.00 Bed of a Brook 5 lbs. wide course S.

40.00 Set temp. gr. Sec. post

51.45 a Branch 6 lbs. wide course S. E.

80.17 Intersect N &amp; S line 106 lbs. N. of mound

Land rolling good 2<sup>d</sup> rate prairie

West Corrected Between Sec. 28 &amp; 11

40.08 Set gr. Sec. post at aver. raised mound

80.17 Sec. Cor.

North Between Sec. 28 &amp; 3

9.00 a Branch 5 lbs. wide course S. E. dry

18.00 Same — " " " S. W.

22.25 Same — " " " S. E.

40.00 Set gr. Sec. post raised mound

76.67 Intersect N. Boundary 8 lbs. W. of mound



T. 24 N., R. 5 W. 2. Mer. Ind.<sup>h</sup>

Mr. Hw.

Get post cor. to Sec. 28 & 3 raised mound  
Land rolling 2<sup>d</sup> rate

## North Between Sec. 33 &amp; 34

From a point which we found by measurement  
ent the old mound being entirely diminished

40.00 Get gr. Sec. post raised mound

6.5.50 Enter net fenny land

74.00 Leave " " " Enter brush and scattering  
timber

76.48 a Hickory 24 in. diam.

80.00 Get post cor. to Sec. 27, 28, 33, 34 from which

a Hickory 24 in. diam. bears South 349<sup>th</sup> dist. &

a J. Oak 14 " " " North 5.99 " "

Land first 1/2 mile level rich 2<sup>d</sup> rate prairie 2<sup>d</sup>1/2 mile level net 3<sup>d</sup> rate scattering Hickory J. Oak

Ugr. Hazle &amp;c

## East on Random Between Sec. 27 &amp; 34

40.00 Get temp. gr. Sec. post

60.00 Enter scattering timber

79.62 Intersect E. Boundary 120 lks. N. of post

Land level 2<sup>d</sup> rate timber B. Oak Hickory &c

Ugr. Hazle Briars &amp;c

## West corrected Between Sec. 27 &amp; 34

39.86 Get gr. Sec. post at aver. dist. raised mound

79.62 Sec. Cor.

## North Between Sec. 27 &amp; 28

7.00 Enter open prairie

40.00 Raised gr. Sec. mound

80.00 Raised mound cor. to Sec. 21, 22, 27, 28

Land level rich 2<sup>d</sup> rate prairieDecember 8<sup>th</sup> 1828



*T. 24 N., R. 5 W. 2<sup>d</sup> Mer. Ind.<sup>a</sup>*  
*W. 8th*

*East on Random Between Sec. 22 & 27*

*40.00 Set temp. gr. Sec. post*

*79.84 Intersect N & S. line 113 Mo. E. of post <sup>in</sup> mound*  
*Land level rich 2<sup>d</sup> rate*

*West Corrected Between Sec. 22 & 27*

*39.62 Set gr. Sec. post at aver. dist. raised mound*

*79.84 Sec. Cor.*

*North Between Sec. 21 & 22*

*40.00 Set gr. Sec. post raised mound*

*80.00 Set post cor. to Sec. 15, 16, 21, 22 raised mound*  
*Land level rich 2<sup>d</sup> rate prairie*

*East on Random Between Sec. 15 & 22*

*40.00 Set temp. gr. Sec. post*

*79.46 Intersect N & S. line 103 Mo. E. of mound*  
*Land rolling rich 2<sup>d</sup> rate prairie*

*West Corrected Between Sec. 15 & 22*

*39.73 Set gr. Sec. post at aver. dist. raised mound*

*79.46 Sec. Cor.*

*North Between Sec. 15 & 16*

*40.00 Set gr. Sec. post raised mound*

*80.00 Set post cor. to Sec. 9, 10, 15, 16 raised mound*

*Land level rich prairie rather wet in spots*

*East on Random Between Sec. 10 & 15*

*40.00 Set temp. gr. Sec. post*

*79.20 Intersect N & S. line 90 Mo. E. of mound*  
*Land prairie level rich 2<sup>d</sup> rate*

*West Corrected Between Sec. 10 & 15*

*39.60 Set gr. Sec. post at aver. dist. raised mound*

*79.20 Sec. Cor.*

## T. 24 N., R. 5 W. 2. Mer. Ind. 4

W. 2<sup>nd</sup>.

North Between Sec. 9 &amp; 10

40.00 Set gr. Sec. post raised mound

80.00 Set post cor. to Sec. 3, 4, 9, 10 raised mound

Land level rich prairie 2<sup>nd</sup> rate

East on Random Between Sec. 3 &amp; 10

40.00 Set temp. gr. Sec. post

79.11 Intersect N 89° E line 114 lbs. E. of mound

Level rich 2<sup>nd</sup> rate land prairie

West Corrected Between Sec. 3 &amp; 10

39.55 Set gr. Sec. post at aver. dist. raised mound

79.11 Sec. Cor.

North Between Sec. 3 &amp; 4

40.00 Set gr. Sec. post raised mound

76.86 Intersect N. Boundary 125 lbs. E. of mound

Raised mound cor. to Sec. 3 &amp; 4

Land inferior 2<sup>nd</sup> rate land prairie level wet

North Between Sec. 28 &amp; 33

Where we established a new corner also - The  
 Old bearing trees were both burnt down - The  
 present cor. is a post from which a Stone  
 5 ft. ~~high~~ Base 8 1/2 in. high bears N 45 W 35 lbs. dist.  
 W. Oak 5 in. dia. bears N 88 3/4 E 54 lbs. dist.

6.00 Enter grand prairie

40.00 Set gr. Sec. post raised mound

80.00 Raised mound cor. to Sec. 28, 29, 32, 33

Land level rich 2<sup>nd</sup> rate

East on Random Between Sec. 28 &amp; 33

40.00 Set temp. gr. Sec. post

80.90 Intersect N 89° E line 164 lbs. E. of mound

Land all prairie rich 2<sup>nd</sup> rate level

T. 24 N., R. 5 W. 2. Mer. Ind. <sup>4</sup>

Q. No. 240.

West Corrected Between Sec. 28 &amp; 33

40.45 Set gr. Sec. post at aver. dist. raised mound

80.90 Sec. Cor

North Between Sec. 28 &amp; 29

40.00 Set gr. Sec. post raised mound

80.00 Set post cor. to Sec. 20. 21. 28. 29 raised mound

Land level rich 2<sup>d</sup> rate

East on Random Between Sec. 21 &amp; 28

40.00 Set temp. gr. Sec. post

81.97 Intersect N &amp; S line 160 lks. E. of mound

Land level rich 2<sup>d</sup> rate

West Corrected Between Sec. 21 &amp; 28

40.98 Set gr. Sec. post at aver. dist. raised mound

81.97 Sec. Cor.

North Between Sec. 20 &amp; 21

40.00 Set gr. Sec. post raised mound

80.00 Raised mound cor. to Sec. 16. 17. 20. 21

Land level rich 2<sup>d</sup> rate

East on Random Between Sec. 16 &amp; 21

40.00 Set temp. gr. Sec. post

82.41 Intersect N &amp; S line 135 E. of mound

Land rolling rich 2<sup>d</sup> rate

West Corrected Between Sec. 16 &amp; 21

41.20 Set gr. Sec. post at aver. dist. raised mound

82.41 Sec. Cor.

North Between Sec. 16 &amp; 17

40.00 Set gr. Sec. post raised mound

80.00 Raised mound cor. to Sec. 8. 9. 16. 17

Land prairie level 2<sup>d</sup> rate

## T. 24 N., R. 5 W. 2. Mer. Ind.

Wm. Lh.

East on Random Between Sec. 9 &amp; 16

40.00 Set temp. gr. Sec. post

82.78 Intersect N. & S. line 140 Mer. N. of mound  
Land level not Inferior 2<sup>nd</sup> rate

West Corrected Between Sec. 9 &amp; 16

41.39 Set gr. Sec. post at aver. dist. raised mound

82.78 Sec. Cor.

North Between Sec. 8 &amp; 9

40.00 Set gr. Sec. post raised mound

80.00 Set post cor. to Sec. 4, 5, 8, 9 raised mound  
Land level rich 2<sup>nd</sup> rate

East on Random Between Sec. 4 &amp; 9

40.00 Set temp. gr. Sec. post

82.86 Intersect N. & S. line 147<sup>1</sup>/<sub>2</sub> N. of mound  
Land rolling rich 2<sup>nd</sup> rate

West Corrected Between Sec. 4 &amp; 9

41.43 Set gr. Sec. post at aver. dist. raised mound

82.86 Sec. Cor.

North Between Sec. 4 &amp; 5

40.00 Set gr. Sec. post raised mound

77.04 Intersect N. Boundary 217 W. of mound

Raised mound cor. to Sec. 4 &amp; 5

Land 1<sup>1</sup>/<sub>2</sub> to 1 mile rich 2<sup>nd</sup> rate 2<sup>1</sup>/<sub>2</sub> N. 3<sup>rd</sup> rate

North Between Sec. 31 &amp; 32

40.00 Set gr. Sec. post raised mound

80.00 Raised mound cor. to Sec. 29, 30, 31, 32

Land level 2<sup>nd</sup> rate

East on Random Between Sec. 29 &amp; 32

40.00 Set temp. gr. Sec. post



T. 24 N., R. 5 W. 2<sup>d</sup> Mer. Ind. <sup>c</sup>

Mo. Sho.

80.14 Intersect N & S line 80 Mo. N. of post  
Land level 2<sup>d</sup> rate

---

West Corrected Between Secs. 29 & 32

40.07 Set gr. Sec. post at aver. dist. raised mound  
80.14 Sec. Cor.

---

West Between Secs. 30 & 31

36.00 Enter timber

40.00 Set gr. Sec. post from which

a W. Oak 14 in. dia. bears N 27 E 45 Mo. dist. &

a Hickory 24 " " " S 28 E 80 " "

68.85 Intersect W. Boundary 170 Mo. S. of post

Set post cor. to Secs. 30, 31 from which

a Hickory 18 in. dia. bears S 49 E 31 Mo. dist. &

" Do 20 " " " N 72 W 10 " "

Land 2<sup>d</sup> rate timber Oak Hickory & c No gr. none

---

North Between Secs. 29 & 30

40.00 Set gr. Sec. post from this point a grove of  
timber bears 20 or 29 chains supposed to contain  
in 25 acres good W. Oak timber

80.00 Raised Mound cor. to Secs. 19, 20, 29, 30

Land level 2<sup>d</sup> rate all prairie

---

East on Random Between Secs. 30 & 29

40.00 Set temp. gr. Sec. post

79.75 Intersect N & S line 108 Mo. N. of post mound  
Land level 2<sup>d</sup> rate

---

West Corrected Between Secs. 20 & 29

39.87 Set gr. Sec. post at aver. dist. raised mound

79.75 Sec. Cor.

---

West Between Secs. 19 & 30

40.00 Raised gr. Sec. mound



*T. 24 N., R. 5 W. 2. Mer. Ind.<sup>a</sup>*  
*Qm. Lks.*

69.19 Intersect W. Boundary 16 3/4 M. S. of Mound  
 Set post in mound cor. of Sec. 19 & 20  
 Land level 2<sup>d</sup> rate

---

*North Between Secs. 19 & 20*

40.00 Raised gr. Sec. Mound

80.00 Raised mound cor. to Sec. 17, 18, 19, 20  
 Land prairie level 2<sup>d</sup> rate rich

---

*East on Random Between Secs. 17 & 20*

40.00 Set temp. gr. Sec. post

79.17 Intersect N. S. Line 10 3/4 M. E. of post  
 Land all prairie 2<sup>d</sup> rate

---

*West Connected Between Secs. 17 & 20*

39.58 Raised gr. Sec. Mound at aver. dist.

79.17 Sec. Cor.

---

*West Between Secs. 18 & 19*

40.00 Set gr. Sec. post raised mound in prairie

69.71 Intersect W. Boundary 15 7/8 M. S. of Mound  
 Raised mound cor. to Sec. 18, 19  
 Land level 2<sup>d</sup> rate

---

*North Between Secs. 17 & 18*

40.00 Raised gr. Sec. Mound

80.00 Raised mound cor. to Sec. 7, 8, 17, 18  
 Land part level part rolling 2<sup>d</sup> rate prairie

---

*East on Random Between Secs. 8 & 17*

40.00 Set temp. gr. Sec. post

79.18 Intersect N. S. Line 8 3/4 M. E. of post in mound  
 Land level 2<sup>d</sup> rate

---

*West Connected Between Secs. 8 & 17*

39.79 Raised gr. Sec. Mound at aver. dist.

79.78 Sec. Cor.

---

T. 24 N., R. 5 W. 2<sup>d</sup> Mer. Ind. <sup>2</sup>W. 2<sup>d</sup> Sec.

West Between Sec. 78 &amp; 18

39.00 Enter muskrat pond dry

40.00 Raised gr. Sec. Mound in pond

45.50 Leave same

70.04 Intersect W. Boundary 145 lbs. S. of post mound

Raised mound cor. to Sec. 78 &amp; 18

Land part level part rolling 2<sup>d</sup> rate

North Between Sec. 78 &amp; 8

40.00 Raised gr. Sec. Mound

80.00 Set post cor. to Sec. 5, 6, 7, 8 raised mound in  
Wet heavy land 2<sup>d</sup> rate

East on Random Between Sec. 58 &amp; 8

40.00 Set temp. gr. Sec. post

55.00 Enter muskrat pond Supposed Area 15 or 20  
Acres dry

74.00 Leave same

80.62 Intersect N. 8<sup>th</sup> line 78 lbs. N. of post or moundLand level net 3<sup>d</sup> rate

West Corrected Between Sec. 58 &amp; 8

40.31 Raised gr. Sec. Mound at aver. dist.

80.62 Sec. Cor.

West Between Sec. 68 &amp; 7

40.00 Raised gr. Sec. mound

70.37 Intersect W. Boundary 170 lbs. S. of mound

Raised mound cor. to 68 &amp; 7

Land prairie dry 2<sup>d</sup> rate

North Between Sec. 58 &amp; 6

40.00 Raised gr. Sec. mound

78.32 Intersect N. Boundary 249 lbs. W. of post mound

Raised mound cor. to Sec. 58 &amp; 6

Land part wet part rolling 2<sup>d</sup> rate prairie

T. 24 N., R. 5 W. 2<sup>d</sup> Mer. Ind.<sup>a</sup>

December 8. 1828

Pursuant to a contract with and instructions from Edward Tiffin, Surveyor General of the United States, bearing date August 26. 1828, I have ad-measured, laid out and surveyed the interior lines of Township N<sup>o</sup> 24 North, in Range N<sup>o</sup> 5 West, and do hereby certify that said Township had such marks and bounds, both natural and artificial, as are represented and described by the foregoing field notes, and returned to the Surveyor General's Office.

Certified this 21<sup>st</sup> day of January 1829

Thomas Brown

Dep. Surveyor.

I certify that the foregoing transcript of field notes of the survey of Township N<sup>o</sup> 24 North in Range N<sup>o</sup> 5 West of the 2<sup>d</sup> Principal Meridian in the State of Indiana, has been compared with the original on file in this office, and found to be correct.

Surveyor General's Office,  
Cincinnati, Nov. 18. 1843

William Johnston  
Sur. Genl.